TRACKTRIM CLICK

SOLUTIONS TO RECESS SILENT GLISS 5600 DRAPERY TRACKS

DESIGNED TO DISAPPEAR

TrackTrim ® Click by Blindspace is a perfect - fit solution to recess manual and electric drapery tracks. The track and end set are installed flush with the ceiling during construction to form a cavity matching the drapery system and can be painted to match the ceiling. With the new TrackTrim ® Click feature, no drilling is required — drapery tracks can be installed effortlessly using special fixing clips that click securely into place, reducing installation time while ensuring a seamless, refined appearance. Standard curved sections are available to fit corners, curved walls, bay windows, and other applications. When drapery tracks are installed, the result is a minimalist design where the drapery system fully blends in, flush with the ceiling.




BLINDSPACE®


MEASUREMENTS
in mm

https://www.shadefactor.com.au/blindspace


TrackTrim Click (TTCL1F)




Silent Gliss Fixing Clip (TTCSG1)



Fixing of TrackTrim Click (TTCL1F) & Track



Curve Section




More radius options used in Australia

R330
R450
R490
R508

Accessories




Splice Pin



Track Removal Tool


1-Piece Return Ends




Corner

Straight


Motor End (TTCMB1F)



Track with Flanges (TTCL1F)



Return End (TTCRB1F)



Australian Distributor

Shade Factor
Web: www.shadefactor.com.au
Email: blindspace@shadefactor.com.au
Tel: +61 (03) 9558 3006

Description

Solutions to recess manual and electric drapery tracks and end sets, with no visible bracketry.

Product Reference

Tracks: TTCL1F Click Clip: TTCSG561
End-sets: TTSG56MB1F/TTSG56RB1F
1-Piece Return Ends: TTSG56CRB1F & TTSG56SRB1F
Curve sections: TTCR330,TTCR450,TTCR490

Fixing

Anchoring with countersink screws through profile and flanges every 200mm. Finished plaster level flush with chamfered edge and ceiling.

Material

Tracks in Aluminium, EN 6060 T66.
End - sets & curves in Plastic POM Polymer.

Finish

White to be plastered in and decorated at site to match ceiling.

FEATURES



The new TrackTrim offers a fast, clean installation with no drilling required—just a simple click. It ensures a seamless finish with no visible clips.


Its perfect-fit end sets are precisely designed to align with motor and belt return ends, creating a consistent, professional look.

After painting, the system achieves a flawless appearance, with plaster feathered over skim coat flanges to conceal the track, leaving only an open cavity for drapery installation.


Splice Pins securely connect end sets, main profiles, and curved sections for perfect alignment and stability.

Overall, TrackTrim combines speed, precision, and elegance, delivering a premium concealed track solution for modern interiors.


Connecting Sections using Splice Pins




Attaching the Clips (every 500mm and 100mm within the drapery stack area)




Attaching the drapery Track to Tracktrim Click



Removing the drapery Track using the Removal Tool



Download Instructions
https://www.shadefactor.com.au/tracktrim



TTCL1F with TTCSG1



TTCL1F with TTCMB1F and TTCRB1F



Tracktrim Click Curved Section finished installation.



Dual Tracktrim Click Curved Section finished installation.




TTCL1F with Track Removal Tools (TTCRT)



TTSG56MB1F and TTSG56RB1F Sample.



TTCL1F with TTSGMB1F and TTSGRB1F.



TTCL1F with TTSG56MB1F and TTSG56RB1F ceiling recess